










# Superstructure Long Section

23/03/2026 11:32 am +10

<b>AWM Table:</b>	<b>Bridges, Bridge Span</b>
<b>Attribute:</b>	<b>Superstructure Long Section</b>
<b>Purpose:</b>	To provide superstructure categorisation that differentiates the span and support provided by the longitudinal section of the bridge, as opposed to the cross section.

Value	Description	Photo Example
Arch, Deck	Abutments at each end shaped as a curved arch. Arch bridges work by transferring the weight of the bridge and its loads partially into a horizontal thrust restrained by the abutments at either side, and partially into a vertical load on the arch supports.	
Arch, Earth Filled	Earth filled arches support the roadway on earth fill that is contained between the spandrel walls.	
Arch, Through	Bridge in which the base of an arch structure is below the deck but the top rises above it.	
Continuous Span	A superstructure which extends as one piece over multiple supports.	

Value	Description	Photo Example
Hinged Span	A hinged bridge span is a bridge with a hinge that allows the bridge to move or be lifted.	
Integral Span	An integral bridge is a structure where there are no expansion joints in the superstructure between spans and between spans and abutments.	
Partially Continuous	A bridge where some spans are joined to share loads, but not all – allowing some movement while still improving strength across sections.	
Portal Frame	The portal frame bridge system comprises of a precast portal frame which interlinks on precast structural base sections. A joint is created between the frame and the base units.	
Rigid Frame Fixed End	A bridge where the superstructure and supports are built as one stiff unit, with no movement at the ends – making it very strong but less flexible.	 <p data-bbox="949 1899 1332 1917">FIG. 11 SECTION OF STEEL RIGID FRAME BRIDGE</p>

Value	Description	Photo Example
Semi-Integral (Link Slab Over Pier)	A semi-integral span bridge with a link slab over a pier is a bridge design that uses link slabs to connect bridge decks without traditional deck joints.	 <p>The diagram shows a cross-section of a bridge with two concrete decks supported by a central pier or bent. A link slab is positioned over the pier, connecting the two decks. Labels include 'Link Slab', 'Concrete Deck', and 'Pier or Bent'.</p>
Simple Span	Simple span bridges cross from one support to another and can be joined together to create a longer span.	 <p>The diagram shows three rectangular bridge spans supported by three piers. A green bar at the bottom is labeled 'SIMPLE SPANS'.</p>
Suspended Span	Span in which the arms do not meet in the center; instead, they support a central truss bridge which rests on the ends of the cantilever arms.	 <p>The diagram shows a bridge with cantilever arms extending from two piers to support a central suspended span. A green bar at the bottom is labeled 'CANTILEVER SPANS (with suspended span)'.</p>
Suspension	A suspension bridge is a type of bridge in which the deck is hung below suspension cables on vertical suspenders.	 <p>The diagram shows a suspension bridge with two towers and cables. A legend indicates that red lines represent tension and green lines represent compression. The word 'suspension' is written above the bridge. A copyright notice for Encyclopædia Britannica, Inc. is at the bottom.</p>
Unknown	The shape or form of the bridge in the lengthwise (longitudinal) direction is not recorded or cannot be determined from available information.	